



Printer Setup for MacOS


Step 1. Click on the Apple logo on the top left corner and select System Preferences.



Step 2. Scroll down and select “Printers & Scanners” and click “Add Printer, Scanner, or Fax...” to add a new printer.




Step 3. Select the IP tab, and then enter the address: print.kitp.ucsb.edu



The screenshot shows the 'Add Printer' window with the 'IP' tab selected. The 'Address' field is highlighted with a blue box and contains the text 'print.kitp.ucsb.edu'. Below it, a smaller text field contains 'Valid and complete host name or address.' The 'Protocol' dropdown menu is set to 'Internet Printing Protocol - IPP'. The 'Queue' field contains 'printers/mfp2202'. The 'Name' field contains 'mfp2202'. The 'Location' field is empty. The 'Use' dropdown menu is set to 'Generic PostScript Printer'. A warning message below the 'Use' dropdown states: 'The selected printer software isn't from the manufacturer and may not let you use all the features of your printer.' The 'Add' button is at the bottom right.

Step 4. For Protocol, select Internet Printing Protocol (IPP)
For Queue and for Name, enter a recognizable name for the printer
(Recommended: **LW1018**, **MFP2202**, and **Color2202** – see table)



This screenshot is a closer view of the 'Add Printer' window, focusing on the 'Protocol', 'Queue', and 'Name' fields. The 'Protocol' dropdown menu is highlighted with a blue box and shows 'Internet Printing Protocol - IPP'. The 'Queue' field is also highlighted with a blue box and contains 'printers/mfp2202'. The 'Name' field is highlighted with a blue box and contains 'mfp2202'. The 'Address' field at the top contains 'print.kitp.ucsb.edu'. The 'Location' field is empty. The 'Use' dropdown menu is set to 'Generic PostScript Printer'. A warning message below the 'Use' dropdown states: 'The selected printer software isn't from the manufacturer and may not let you use all the features of your printer.' The 'Add' button is at the bottom right.

Step 5. Select Duplex Unit (double--sided) to finish adding the printer.

